


DL3200-RP Industrial Hybrid Printer




The Dlican DLI-3200 UV Flatbed Printer delivers powerful, precise, and high-quality printing on materials like glass, wood, metal, and plastic. Using advanced UV technology, it produces vibrant, durable prints that cure instantly while reducing waste and emissions. Perfect for signage, décor, and custom products, it combines speed, quality, and sustainability in one smart machine.

Product Information

- 1 Printing Platform
- 2 Automatic Correction System
- 3 Rear Feeding System
- 4 Magnetic linear motor
- 5 Profile locator
- 6 Steel Frame
- 7 Monitor
- 8 Emergency Switch
- 9 Print Head



Color Configuration



Headquarters: DIP-2, Plot No: 597-634, P.O. Box No: 27402, Dubai, UAE. Tel: +971 4 8049800.
 UAE Customer Support # 800 74463. Locations: UAE, KSA, OMAN, KUWAIT, QATAR & SAUDI ARABIA
 Please Visit our Online Store at www.bluerhine.store

DL3200-RP Industrial Hybrid Printer

Technical Parameters

PROJECT	INFORMATION
Model of Equipment	DL3200-RP
Printing Size	Plate:3200 * 2500 mm roll: 3200 mm
Curing system	UV light curing
Print Head Type	Konica 1024i Print Head
Print Head Quantity	4-18 And can be customized
Printing Color	CMYK+LCLM+W And support multiple color combinations
Printing Precision	720*900DPI/720*1200DPI/720*1800DPI
Printing Height	0mm-50mm Can customize
Ink System	Continuous ink supply/Volume: 2500ml/ink intelligent stirring
Lifting function	Carriage lifting electronic automatic/manual intelligent induction detection and adjustment height
File format	TIFF (RGB&CMYK) BMP、 PDF、 EPS、 JPEG
RIP Software	Riprint、 ColorGATE RIP、 Photo Print、 and supporting various printing softwares
Data Interface	Gigabit network interface /USB High speed USB transfer interface
Driver Software	Microsoft Windows 10
Operation Environment	Temperature: 20 C-32 C/Humidity: 40-70%
Power Requirements	AC220V (± 10%) ; 50HZ; P: 8000W
Printer Dimension	6000mm*2200mm*1700mm
Printer Weight	4000KG

Printing Speed	4PASS	6PASS	8PASS
Single-row configuration scheme	38m ² /h	28m ² /h	20m ² /h
Double row configuration scheme	70m ² /h	48m ² /h	37m ² /h
Three rows configuration scheme	95m ² /h	75m ² /h	55m ² /h
Four row configuration scheme	115m ² /h	87m ² /h	70m ² /h

Headquarters: DIP-2, Plot No: 597-634, P.O. Box No: 27402, Dubai, UAE. Tel: +971 4 8049800.
UAE Customer Support # 800 74463. Locations: UAE, KSA, OMAN, KUWAIT, QATAR & BAHRAIN
 Please Visit our Online Store at www.bluerhine.store

DL3200-RP Industrial Hybrid Printer

Applicable Materials

Light box cloth



The advertising sticker



Soft membrane



Panel